



The Ontario Gazette

La Gazette de l'Ontario

Vol. 133-35
Saturday, 26th August, 2000

Toronto

ISSN 0030-2937
Le samedi 26 août 2000

Motor Vehicle Transport Act/Truck Transportation Act Loi sur les transports routiers/Loi sur le camionnage

The following are applications for operating licences under the *Truck Transportation Act*, R.S.O. 1990, Chapter T.22, and/or the *Motor Vehicle Transport Act*, 1987, Chapter 35. The applicants have met the fitness requirements pursuant to Section 6 of the *Truck Transportation Act* and/or Section 8(2) of the *Motor Vehicle Transport Act*, 1987 and the provincial transport board and/or the Registrar of Motor Vehicles proposes to issue the licences if no written objection is served on the applicant and filed with the Registrar of Motor Vehicles, within thirty days of this publication.

The following applicants have applied for Authority to offer a transportation service for the carriage of Goods:

On trouvera ci-après la liste des demandes de permis d'exploitation présentées en vertu de la *Loi sur le camionnage*, L.R.O. 1990, chapitre T.22, et/ou la *Loi de 1987 sur les transports routiers*, L.C. 1987, chapitre 35. On a jugé que les personnes ayant présenté ces demandes se conformaient aux critères d'aptitude prévus au paragraphe 8(2) de la *Loi de 1987 sur les transports routiers* et l'office des transports de l'Ontario et/ou le registraire des véhicules automobiles dans les trente jours suivant la publication des présentes.

Les personnes suivantes ont demandé l'autorisation d'offrir des services de transport de marchandises à destination.

A. AND J. TRANSPORTATION INC
ADA, OK

ALBATROSS TRUCK LINES INC.
CALGARY, AB

TRANSPORT ANDRE BEAUPRE INC.
ST-AGAPIT, QC

B & B BULK TRANSPORT LLC
NEW HOPE, AR

BEAVER, STEPHEN, DAVID
MINDEN, ON

BROZIC, JOSEPH
BRAMPTON, ON

CD-ACE TRANSPORTATION INC
WATERFORD, ON

C F INSTALLATIONS COMPANY (1984) LTD
SASKATOON, SK

DBX LLC
SUTTONS BAY, MI

DHAMI EXPRESS TRANSPORT INC
REXDALE, ON

FASTBALL FREIGHT INC.
AJAX, ON

FAWCETT, GORDON, I.
OSGOODE, ON

GRAND STREET WAREHOUSE INC.
MOONACHIE, NJ

I.D.E.A.L. INCORPORATED
NAMPA, ID

TRANSPORT MADIGAN TRUCKING INC.
LANCASTER, ON

MANNLEY TRANSPORT INC.
LITTLE BRITAIN, ON

MILLENIUM FREIGHTWAYS INC.
MISSISSAUGA, ON

M-LINES TRANSPORT LTD.
SURREY, BC

NEW CENTURY TRANSPORTATION INC.
GLASBORO, NJ

OUILLETTE, JOSEPH, R.
PINCONNING, MI

R.D.J. TRANSPORT INC.
VICTORIAVILLE, QC

RED FOX TRANSPORT 2000 INC.
OTTAWA, ON

SEELOCHAN, NARINE
SCARBOROUGH, ON

BILL SCOTT ENTERPRISES INC
TILLSONBURG, ON

TREMBLAY, BRUNO
HONFLEUR, QC

WHITAKER TRUCKING INC.
GREENWOOD, IN

1429602 ONTARIO LTD.
TRENTON, ON

9026-0365 QUEBEC INC
AMOS, QC

9036-3854 QUEBEC INC.
ST-FRANCOIS-X-BROMPTON, QC

9043-0356 QUEBEC INC.
LONGUEUIL, QC

9081-2082 QUEBEC INC.
ST-REMI, QC

9090-5985 QUEBEC INC.
RIVIERE-MADELEINE, QC

J. Greig Beatty
Manager
Chef de Service

Published by Ministry of Consumer & Commercial Relations
Publié par Ministère de la Consommation et du Commerce

© Queen's Printer for Ontario, 2000
© Imprimeur de la Reine pour l'Ontario, 2000



1561

MAIL POSTE

Canada Post Corporation / Société canadienne des postes
Postage paid Port payé

Lettermail Poste-lettre

10010295

Ontario Highway Transport Board

IN THE MATTER of the *Public Vehicles Act*,
AND IN THE MATTER of the *Motor Vehicle Transport Act, 1987*
AND IN THE MATTER of the *Ontario Highway Transport Board Act*
AND IN THE MATTER of :

Andrei Nikolaev, o/a "Express Line 2000", File # 45768-RE(1)
623 Finch Avenue West, Suite 512
Toronto, Ontario M2R 3V4.

NOTICE

The Board is in receipt of an application by Trentway-Wagar Inc. ("Trentway") pursuant to Sections 10 and 11 of the *Public Vehicles Act*. Trentway has satisfied the Board that there are apparent grounds to suspend, cancel or impose conditions on Andrei Nikolaev's operating licences or issue an order described in Section 11(3) of the *Public Vehicles Act*.

All Information pertaining to this matter is on file at the Board and can be made available on request. (Telephone 416-326-6732).

TAKE NOTICE that the Board will hold a hearing on this matter to determine whether to issue an order described in Section 11(3) of the *Public Vehicles Act*.

The hearing will be held on **Tuesday the 26th day of September, 2000 at 10:00 a.m. at the Boards Chambers, 151 Bloor Street West, 10th Floor, Toronto, Ontario. M5S 2T5.**

AND FURTHER TAKE NOTICE that should any party to this proceedings not attend at the time and place shown for the hearing, the Board may proceed in their absence and they will not be entitled to any further notice in this proceedings.

AND FURTHER TAKE NOTICE that any interested person (i.e. a person who has an economic interest in the outcome of the matter) may file a statement with the Board and serve it on the licensee at least 10 days before the hearing date and pay a fee of \$400.00 payable to the Minister of Finance.

Felix D'Mello
Board Secretary/
Secrétaire de la Commission

Government Notices Respecting Corporations Avis du gouvernement relatifs aux compagnies

Certificates of Dissolution Certificats de dissolution

NOTICE IS HEREBY GIVEN that a certificate of dissolution under the *Business Corporations Act*, has been endorsed: The effective date precedes the corporation listings.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément à la *Loi sur les compagnies*, un certificat de dissolution a été inscrit pour les compagnies suivantes : la date d'entrée en vigueur précède la liste des compagnies visées.

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la compagnie :	compagnie en Ontario

2000-7-31

BURLINGTON EQUIPMENT RENTAL LIMITED.....	62679
ERGO ACCESS CONSULTANTS INC.....	1004304
RAY L. LACHANCE REPAIRS LTD.	1103380
WITTIG'S AUTOMOTIVE INC.....	445753
1142550 ONTARIO INC.	1142550
1290797 ONTARIO INC.	1290797

2000-8-3

ALLEN S. BRIGGS ASSOCIATES LIMITED.....	518755
SELBO WELDING & STEEL ERECTING SERVICE LIMITED.....	253566
1091943 ONTARIO LTD.....	1091943
1112624 ONTARIO INC.	1112624
1152896 ONTARIO INC.	1152896
606458 ONTARIO LIMITED.....	606458
618820 ONTARIO LIMITED.....	618820

2000-8-4

ROYAL WINDOWS AND DOORS LTD.	1249989
-----------------------------------	---------

2000-8-8

C-LOR CO. LTD.	262840
THE LONDON SOAP COMPANY LIMITED.....	1209549
TOP TIME TRADING LTD.....	1002651
1411180 ONTARIO INC.	1411180
869609 ONTARIO INC.	869609

2000-8-9

FOUR-SIXTY EGLINTON EAST LIMITED.....	91819
GILROSE INVESTMENTS LIMITED.....	114108
GYULVESZI FARM CORPORATION	1106008
ODDBALLS BILLIARDS & GRILL INC.....	333368

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la compagnie :	compagnie en Ontario

PAUL SHEN INC.	1222563
POVEGA TRADING INC.	1176974
SAN SING CO. LTD.....	1042320
SIMION LTD.....	1318733
1032228 ONTARIO INC.....	1032228
1196332 ONTARIO LIMITED	1196332
492989 ONTARIO LTD.	492989

2000-8-10

ALF ERNEWEIN LIMITED.	295977
EXPO 98 CONSORTIUM INC.....	922237
1227036 ONTARIO LIMITED	1227036
530907 ONTARIO LIMITED	530907

2000-8-11

CHIU'S PRINTING COMPANY LTD.....	1117450
CLAND DEVELOPMENTS INC.....	870830
COMMERCIAL PAINTERS LTD.	1197960
DCS 2000 INC.....	1145814
MUMMERY BROS. FISHERY LTD.	86044
NEEDHAM OFFICE SYSTEMS INC.....	596824
NORMAN T.C. WU CO. LTD.	1251688
SMARK TRADING INTERNATIONAL INC.....	1034129

35/00

CAROL D. KIRSH,
Director, Companies Branch
Directrice, Direction des compagnies

Notice of Default in Complying with the Corporations Information Act Notice de non-observation de la loi sur les renseignements exigés des compagnies et des associations

NOTICE IS HEREBY GIVEN under subsection 241 (3) of the *Business Corporations Act* that unless the corporations listed hereunder comply

with the filing requirements under the *Corporations Information Act* within 90 days of this notice orders dissolving the corporation(s) will be issued. The effective date precedes the corporation listings.

AVIS EST DONNÉ PAR LES PRÉSENTE que, conformément au paragraphe 241 (3) de la *Loi sur les sociétés par actions*, si les compagnies mentionnées ci-dessous ne se conforment pas aux exigences de dépôt requises par la *Loi sur les renseignements exigés des compagnies et des associations* dans un délai de 90 jours suivant la réception du présent avis, des ordonnances de dissolution seront délivrées contre lesdites compagnies. La date d'entrée en vigueur précède la liste des compagnies visées.

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la compagnie :	compagnie en Ontario

2000-8-11

WIDPAR FINANCIAL GROUP INC.	109751
1358966 ONTARIO LTD.	1358966
1379540 ONTARIO INC.	1379540
1385294 ONTARIO LIMITED	1385294

35/00

CAROL D. KIRSH,
Director, Companies Branch
Directrice, Direction des compagnies

**Cancellation for Filing Default
(Corporations Act)
Annulation pour omission de se
conformer à une obligation de dépôt
(Loi sur les personnes morales)**

NOTICE IS HEREBY GIVEN that orders under section 317 (9) of the *Corporations Act* have been made cancelling the Letters Patent of the following corporations and declaring them to be dissolved: The date of the order of dissolution precedes the name of the corporation.

PAR LA PRÉSENTE, nous vous informons que les décrets émis en vertu de l'article 317 (9) de la *Loi sur les personnes morales* ont été émis pour annuler les lettres patentes des personnes morales suivantes et les déclarer dissoutes. La date du décret de la dissolution précède le nom de la personne morale.

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la compagnie :	compagnie en Ontario

2000-8-15

BIRTHRIGHT OF BRAMPTON	1373925
CENTRAL NORTH FLYING CLUB	1383922
FRIENDS OF STEWART PARK FESTIVAL	1383907
KENSINGTON YOUTH THEATRE EMPLOYMENT SKILLS	
PROGRAM	889763
MARINA FOODSHARE	1067626
MCO FOUNDATION FOR INTERNATIONAL	
DEVELOPMENT	1383976
MONTORIO NEI FRENTANI SOCIAL CLUB	847110

35/00

CAROL D. KIRSH,
Director, Companies Branch
Directrice, Direction des compagnies

**Erratum Notice
Avis d'Erreur**

Ontario Corporation Number 1353651

Vide Ontario Gazette, Vol. 133-24 dated June 10, 2000

NOTICE IS HEREBY GIVEN that the notice issued under section 241 (4) of the *Business Corporations Act* set out in the issue of The Ontario Gazette with respect to the cancellation of the Certificate of Incorporation of **GRAYSONS INC.** was issued in error and is null and void.

cf. Gazette de l'Ontario Vol. 133-24 datée du juin 10, 2000

PAR LA PRÉSENTE nous vous informons que l'avis émis en vertu de l'article 241 (4) de la *Loi sur les compagnies* et énoncé dans la Gazette de l'Ontario du relativement à l'annulation du certificat de constitution en personne morale de **GRAYSONS INC.** a été délivré par erreur et qu'il est nul et sans effet.

35/00

CAROL D. KIRSH,
Director, Companies Branch
Directrice, Direction des compagnies

**Cancellation of Certificates of Incorporation
(Corporations Tax Act Defaulters)
Annulation de certificats de constitution en
personne morale
(Non-respect de la loi sur l'imposition
des personnes morales)**

NOTICE IS HEREBY GIVEN that, under subsection 241 (4) of the *Business Corporations Act*, the Certificates of Incorporation of the corporations named hereunder have been cancelled by an order dated 31 July, 2000 for default in complying with the provisions of the *Corporations Tax Act*, and the said corporations have been dissolved on that date.

AVIS EST DONNÉ PAR LA PRÉSENTE que, conformément au paragraphe 241(4) de la *Loi sur les compagnies*, les certificats de constitution en personne morale des compagnies dont les noms apparaissent ci-dessous ont été annulés par décision datée du 31 juillet 2000 pour non-respect des dispositions de la *Loi sur l'imposition des personnes morales* et que la dissolution des compagnies concernées prend effet à la date susmentionnée :

Name of Corporation:	Ontario Corporation Number
Dénomination sociale	Numéro de la
de la compagnie :	compagnie en Ontario

DIETCARE PUREE INC.	544643
995523 ONTARIO LIMITED	995523

35/00

CAROL D. KIRSH,
Director, Companies Branch
Directrice, Direction des compagnies

**Co-operative Corporations Act
(Certificate of Incorporation Issued)
Loi sur les sociétés coopératives
(Certificat de constitution délivré)**

NOTICE IS HEREBY GIVEN that, under the *Co-operative Corporations Act*, a certificate of Incorporation has been issued to:

AVIS EST PAR LES PRÉSENTES DONNÉ qu'en vertu de la *Loi sur les sociétés coopératives* un certificat de constitution a été délivré à :

Name of Corporation and Head Office:
Nom de la compagnie et siège social :

2000-8-2

K.L. 4 Seasons Yard Care Co-operative Inc, Kirkland Lake

JOHN M. HARPER,
Director, Examination
Licensing and Enforcement Division
by delegated authority from
Dina Palozzi
Superintendent of Financial Services.
Directeur, Examen
Division de la délivrance des permis
et de l'application des mesures législatives
en vertu de pouvoirs délégués par
Dina Palozzi
surintendante des services financiers.

35/00

Co-operative Corporations Act (Certificate of Continuance Issued) Loi sur les sociétés coopératives (Certificat de maintien délivré)

NOTICE IS HEREBY GIVEN that, under the *Co-operative Corporations Act*, a certificate of Continuance has been issued to:

AVIS EST PAR LES PRÉSENTES DONNÉ qu'en vertu de la *Loi sur les sociétés coopératives* un certificat de maintien a été délivré à :

Name of Corporation and Head Office:
Nom de la compagnie et siège social :

2000-8-14

The Sleepless Goat Café and Workers' Co-operative Inc, Kingston

JOHN M. HARPER,
Director, Examination
Licensing and Enforcement Division
by delegated authority from
Dina Palozzi
Superintendent of Financial Services.
Directeur, Examen
Division de la délivrance des permis
et de l'application des mesures législatives
en vertu de pouvoirs délégués par
Dina Palozzi
surintendante des services financiers.

35/00

Environmental Assessment Act Loi sur les évaluations environnementales

NOTICE OF EXTENSION OF THE APPROVAL FOR ONTARIO POWER GENERATION'S CLASS ENVIRONMENTAL ASSESSMENT FOR SHORELINE AND RIVERBANK MODIFICATIONS

RE: The Class Environmental Assessment for Shoreline and Riverbank Modifications:

All activities relating to the modification of shorelines and riverbanks, including:

- construction of new and modified shoreline and riverbank structures (also referred to as protection structures), and access roads

- operation and maintenance activities associated with protection structures and access roads
- retirement activities associated with protection structures and access roads
- acquisition of shoreline and riverbank properties and associated access roads

Proponent: Ontario Power Generation Inc.
EA File No.: OH-GE-03

Condition 2 of the approval for the above undertakings, which was issued on the 19th day of August 1993, by O.C. No. 2091/93 provides that the approval shall expire the later of five years from the date of the approval, or such later date as the Minister determines by publishing a Notice in the Ontario Gazette.

TAKE NOTICE that I am extending the approval of the above undertakings for a period of 3 years so that the approval shall terminate on August 19, 2003.

Under Ontario Regulation 173/99, this extension applies to both Ontario Power Generation Inc. and its subsidiaries.

Dated at Toronto, this 15th day of August, 2000.

Dan Newman
Minister of the Environment
135 St. Clair Avenue West
12th Floor
Toronto, Ontario
M4V 1P5

(6711) 35

NOTICE OF EXTENSION OF THE APPROVAL FOR ONTARIO POWER GENERATION'S CLASS ENVIRONMENTAL ASSESSMENT FOR MODIFICATIONS TO HYDROELECTRIC FACILITIES

RE: The Class Environmental Assessment for Modifications to Hydroelectric Facilities:

All activities relating to the modification and the subsequent operation, maintenance, and retirement of the modified hydroelectric facilities, including:

- hydroelectric generating stations (main dam, powerhouse, pipeline, canal, tunnel, aqueduct, spillway, sluiceway, etc.)
- storage dams and control dams
- block dams and side dams
- diversion weirs and submerged weirs
- access roads and associated auxiliary structures

Proponent: Ontario Power Generation Inc.
EA File No.: OH-GE-03

Condition 2 of the approval for the above undertakings, which was issued on the 19th day of August 1993, by O.C. No. 2090/93 provides that the approval shall expire the later of five years from the date of the approval, or such later date as the Minister determines by publishing a Notice in the Ontario Gazette.

TAKE NOTICE that I am extending the approval of the above undertakings for a period of 3 years so that the approval shall terminate on August 19, 2003.

Under Ontario Regulation 173/99, this extension applies to both Ontario Power Generation Inc. and its subsidiaries.

Dated at Toronto, this 15th day of August, 2000.

Dan Newman
Minister of the Environment
135 St. Clair Avenue West
12th Floor
Toronto, Ontario
M4V 1P5

(6712) 35

**Applications to
Provincial Parliament — Private Bills
Demandes au Parlement
provincial — Projets de loi d'intérêt privé**

PUBLIC NOTICE

The rules of procedure and the fees and costs related to applications for Private Bills are set out in the Standing Orders of the Legislative Assembly. Copies of the Standing Orders may be obtained from:

Committees Branch
Room 1405, Whitney Block, Queen's Park
Toronto, Ontario M7A 1A2

Telephone: 416/325-3500 (Collect calls will be accepted.)

Applicants should note that consideration of applications for Private Bills that are received after the first day of September in any calendar year may be postponed until the first regular Session in the next following calendar year.

CLAUDE L. DESROSIERS.
Clerk of the Legislative Assembly.

(8699) T.F.N.

**Applications to Provincial Parliament
Demandes au Parlement provincial**

TOWN OF NEWMARKET

NOTICE IS HEREBY GIVEN that on behalf of The Corporation Of The Town of Newmarket ("Council"), application will be made to the Legislative Assembly of the Province of Ontario, for an Act to enable Council to exercise greater control over the demolition or removal of buildings and structures designated under Part IV, Conservation of Buildings of Historic or Architectural Value, and Part V, Heritage Conservation Districts.

Under the *Ontario Heritage Act*, Council may currently refuse an application for the demolition or removal of a building or structure for a period of 180 days. If Council refuses that demolition application, the demolition may occur, subject to all applicable legislation, following a delay of 180 days.

This application seeks to enhance the authority by providing that where Council has refused an application for the demolition or removal of a building or structure the building or structure cannot be demolished or removed unless,

- (a) the owner has obtained a building permit to erect a new building on the site of the building or structure sought to be demolished or removed and the owner is subject to the requirement that construction of such new building be substantially complete within two years of the commencement of the demolition or removal of the building or structure on the designated property, and
- (b) 180 days have elapsed from the date of the decision of Council to refuse the demolition or removal of the building or structure on the designated property.

A copy of the draft bill is available in the office of the Town Clerk, 395 Mulock Drive, P.O. Box 328, Newmarket, Ontario L3Y 4X7.

This application will be considered by the Standing Committee on Regulations and Private Bills. Any person who has an interest in the application and who wishes to make submission, for or against the application, to the Standing Committee on Regulations and Private

Bills should notify, in writing, the Clerk of the Legislative Assembly, Legislative Building, Queen's Park, Toronto, Ontario M7A 1A2.

Dated at Newmarket, this 3rd day of August, 2000.

JOHN ROGERS, ASSISTANT SOLICITOR,
The Corporation of the Town of Newmarket
395 Mulock Drive, P.O. Box 328,
Newmarket, Ontario L3Y 4X7
Solicitor for the Applicant

(3358) 35-38

**Sales of Lands for Tax Arrears
by Public Tender
Ventes de terrains par appel d'offres
pour arriéré d'impôt**

MUNICIPAL TAX SALES ACT

R.S.O. 1990, c. M.60, s. 9 (2) (d) R.R.O. 1990, Reg. 824

THE CORPORATION OF THE TOWNSHIP OF LA VALLEE

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:00 p.m. local time on Wednesday, September 13, 2000 at the Municipal Office.

The tenders will then be opened in public on the same day at 7:00 p.m.

Description of Land(s)	Minimum Tender Amount
Parcel 2654, Rainy River West Half of the South West Quarter of Section 22 Township of Devlin. Containing 82 acres more or less.	\$1,511.21

Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank, trust corporation or Province of Ontario Savings Office payable to the municipality or board and representing at least 20 per cent of the tender amount.

The Municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Tax Sales Act* and the *Municipal Tax Sales Rules* made under that Act. The successful purchaser will be required to pay the amount tendered plus accumulated taxes and the relevant land transfer tax.

For further information regarding this sale and a copy of the prescribed form of tender, contact:

LAURIE A. WITHERSPOON,
Clerk-Treasurer,
Township of La Vallee
P.O. Box 99,
56 Church Road,
Devlin, Ontario P0W 1C0

(3359) 35

MUNICIPAL TAX SALES ACT

THE CORPORATION OF THE TOWN OF HAILEYBURY

TAKE NOTICE that tenders are invited for the purchase of the land(s) described below and will be received until 3:30 p.m. local time on Friday, September 15, 2000 at the Haileybury Municipal Office.

The tenders will then be opened on the same day at 4:00 p.m.

		Minimum Tender Amount	
Description of Land(s)		Description of Land(s)	
99-2	Roll No. 001 22500 Rorke Avenue Parcel 1976SST, Being Lot 133 on Plan M-37 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$1,833.26	99-12	Roll No. 009 18000 Elm Street Parcel 14019SST, Lots 109 & 111 on Plan M67 (North Bay) Elm Street West Township of Bucke, Municipality of Haileybury . . . \$1,475.02
99-4	Roll No. 009 03300 Parcel 3312T, Being the North East Quarter of the South Half of Lot 12, Concession 1 Township of Bucke, Municipality of Haileybury . . . \$1,169.74	99-15	Roll No. 009 56100 Groom Drive Parcels 6632SST, 8612SST, Being Part Lots between Groom Drive and Lakeview Avenue, and between First and Fourth Streets on Plan M63 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$3,153.33
99-5	Roll No. 009 05100 Fourth Street Parcel 8284SST, Being Lots 1125-1162, 1271-1308, 1402-1439, 1551-1588, 1691-1728, 1838-1875, 1978-2015, 2131-2168, First Street, Third Street, Larch Lane on Plan M147 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$1,280.83	99-16	Roll No. 009 57001 Parcel 22672SST, Being the South Half of Lot 14, Concession 2, excepting that portion laid out by Plan M60 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$1,499.21
99-6	Roll No. 009 05200 Seventh Street Parcel 4280SST, Being Lots 1-58, 140-197, 279-336, 419-476, 559-616, 699-756, 839-896, 986-1043, on Plan M147 (North Bay) Parcel 3030 SST, Being Lots 59-76, 198-215, 337-354, 477-494, 617-634, 757-774, 897-914, 1044-1061, on Plan M147 (North Bay) Parcel 23005SST, Being Parts of Lanes, Fifth, Sixth & Seventh Streets and Part of Jones Avenue on Plan M147 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$3,037.95	99-17	Roll No. 012 08400 Niven Street Parcel 17986SST, Being Lots 247 & 248 on Plan M143 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$2,548.27
99-7	Roll No. 009 053200 Jones Avenue Parcel 5649SST, Being Lots 1163-1200, 1309-1346, 1440-1477, 1589-1626, 1729-1766, 1876-1913, 2016-2053, 2169-2206 on Plan M147 (North Bay) Parcel 2195SST, Being Lots 1201-1236, 1347-1380, 1478-1513, 1627-1632, 1634-1663, 1767-1801, 1914-1941, 2054-2081, 2207-2244 on Plan M147 (North Bay) Parcel 23005SST, Being Parts of Lanes, First, Second, Third & Fourth Streets and Part of Fitzpatrick & Finlan Avenues on Plan M147 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$2,664.29	Tenders must be submitted in the prescribed form and must be accompanied by a deposit in the form of a money order or of a bank draft or cheque certified by a bank, trust company or Province of Ontario Savings Office payable to the municipality (or board) and representing at least 20 per cent of the tender amount.	
99-8	Roll No. 009 05400 Second Street Parcel 21324SST, Being Lot 1633 on Plan M147 (North Bay) Township of Bucke, Municipality of Haileybury . . . \$1,067.14	The Municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.	
99-9	Roll No. 009 05507 Seventh Street Parcel 20987SST, Being Lots 216-218, 355-357, 495-497, 635-644, 775-784, 915-924, 1062-1099 on Plan M147 (North Bay) Township of Bucke, Municipality of Haileybury . . \$11,968.03	This sale is governed by the <i>Municipal Tax Sales Act</i> , being Chapter M.60 of the Revised Statutes of Ontario, 1990 and the <i>Municipal Tax Sales Rules</i> made under that Act. The successful purchaser will be required to pay the amount tendered plus accumulated taxes and the rel- evant land transfer tax.	
99-10	Roll No. 009 06500 Parcel 3840SST, Being the South Half of the South Half of Lot 14, Concession 1 Township of Bucke, Municipality of Haileybury . . . \$1,204.79	For further information regarding this sale and a copy of the pre- scribed form of tender, contact:	
99-11	Roll No. 009 06602 Parcel 22261SST, Being the South Half of the South Half of Lot 14, Concession 1, RP 54R-2729 Part 1 Township of Bucke, Municipality of Haileybury . . \$18,433.14	Treasurer/Tax Collector, Corporation of the Town of Haileybury 451 Meridian Avenue P.O. Box 2050, Haileybury, Ontario P0J 1K0 705-672-3363	

MUNICIPAL TAX SALES ACT

THE CORPORATION OF THE CITY OF OTTAWA

TAKE NOTICE that tenders are invited for the purchase of the lands described below and will be received, sealed in an envelope with a description of the property for which a tender is submitted clearly marked on the envelope, for example: **"Tax Sale for: 1231 Newmarket Street, Unit 4"**. A separate tender must be submitted for each property. Tenders in the prescribed Form 8, Tender to Purchase, will be received until 3:00 p.m. local time on Wednesday, September 13, 2000, addressed to:

**The Corporation of the City of Ottawa, Client Service Centre,
111 Sussex Drive,
Bytown Pavilion, 1st Floor,
Ottawa, Ontario K1N 5A1.
Attention: Treasurer**

The tenders will then be opened in public on the same day at 111 Sussex Drive, Bytown Pavilion, Terrace Level, Freiman Room immediately following the 3:00 p.m. deadline.

Description of Land(s)	Minimum Tender Amount
1. Unit 4, Level 1, Carleton Condominium Plan No. 413; City of Ottawa City of Ottawa; Regional Municipality of Ottawa-Carleton PIN 15413-0004 (LT) Municipal Address: 1231 Newmarket Street, Unit 4 (Roll No. 06 14 106 101 11513 0000)	\$69,677.43

This Sale is subject to cancellation up to the time of sale without any further notice.

The Minimum Tender amount represents the cancellation price as of the first day of advertising.

Tenders must be submitted in the prescribed Form 8, Tender to Purchase, and must be accompanied by a deposit in the form of a money order or a bank draft or cheque certified by a bank, trust company or Province of Ontario Savings Office payable to the municipality and representing at least 20 per cent of the tender amount.

The Municipality makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Tax Sales Act*, being chapter M. 60 of the Revised Statutes of Ontario 1990, and the *Municipal Tax Sales Rules* made under that Act. The successful purchasers will be required to pay the amount tendered plus accumulated taxes, penalties and interest, GST if applicable and the relevant land transfer tax.

For further information regarding these sales and a copy of the prescribed Form 8, Tender to Purchase, contact:

(3362) 35 BRIAN T. HUM,
Collection Officer,
The Corporation of the City of Ottawa,
111 Sussex Drive,
Sussex Pavilion, 3rd Floor,
Ottawa, Ontario K1N 5A1,
Tel. (613) 244-5300 ext. 1-3693.

Sales of Land for Tax Arrears by Public Auction Ventes de terrains aux enchères publiques pour arriéré d'impôt

MUNICIPAL TAX SALES ACT
R.S.O. 1990, c. M.60, s. 9 (2) (d) R.R.O. 1990, Reg. 824, r. 13(1)

THE CORPORATION OF THE VILLAGE OF THEDFORD

TAKE NOTICE that the land(s) described below will be offered for sale by public auction at 2:00 o'clock in the afternoon on the 14th day of

September 2000 at The Village of Thedford Offices, 89 Main Street, Thedford, Ontario N0M 2N0.

Description of Land(s)	Minimum Bid \$
Part of Lots 56 and 57, Plan 9 (TF), Village of Thedford, County of Lambton, designated as, Parts 3 and 4 on Reference Plan 25R1652 and known for municipal purposes as DEACON STREET, THEDFORD, ONTARIO N0M 2N0	\$9,512.60

All amounts payable by the successful purchaser shall be payable in full at the time of the sale by cash or money order or by a bank draft or cheque certified by a bank, trust corporation or Province of Ontario Savings Office.

The Municipality or board makes no representation regarding the title to or any other matters relating to the land to be sold. Responsibility for ascertaining these matters rests with the potential purchasers.

This sale is governed by the *Municipal Tax Sales Act*, and the *Municipal Tax Sales Rules*. The successful purchaser will be required to pay the amount bid plus accumulated taxes and the relevant land transfer tax.

For further information regarding this sale, contact:

(3360) 35 JACKIE MASON,
Clerk-Treasurer,
Corporation of the Village of Thedford,
Box 70, 89 Main Street,
Thedford, Ontario N0M 2N0

Miscellaneous Notices Avis divers

ALBERTA MOTOR ASSOCIATION INSURANCE COMPANY

NOTICE IS HEREBY GIVEN that the Alberta Motor Association Insurance Company having its head office in Edmonton, Alberta intends to apply to the Ontario Insurance Commission for a licence under Section 40 of the *Insurance Act* (Ontario) to transact property insurance.

Dated this 14th day of June, 2000.

(3337) 33-35 G.A. WENTWORTH,
General Manager,
Alberta Motor Association Insurance
Company.

Publications under the Regulations Act Publications en vertu de la Loi sur les règlements

2000—08—26

ONTARIO REGULATION 458/00 made under the HIGHWAY TRAFFIC ACT

Made: July 25, 2000
Filed: August 8, 2000

Amending O. Reg. 510/99
(Community Safety Zones)

Note: Ontario Regulation 510/99 has previously been amended by Ontario Regulations 628/99 and 220/00.

1. Ontario Regulation 510/99 is amended by adding the following Schedule:

Schedule 3

TOWNSHIP OF SPRINGWATER

1. (1) That part of the King's Highway known as No. 93 in the Township of Springwater, formerly known as the Police Village of Hillsdale, in the County of Simcoe lying between a point situate 235 metres measured southerly from its intersection with the centre line of the roadway known as Martin Street and a point situate 150 metres measured northerly from its intersection with the centre line of the roadway known as Robert Boulevard.

(2) This designation is effective 24 hours a day, seven days a week and every month of the year.

DAVID H. TSUBOUCHI
Solicitor General

Dated on July 25, 2000.

35/00

ONTARIO REGULATION 459/00 made under the ONTARIO WATER RESOURCES ACT

Made: August 8, 2000
Filed: August 8, 2000

DRINKING WATER PROTECTION

CONTENTS

	Section(s)
Interpretation	1, 2
Application	3
Approvals	4
Minimum Level of Treatment	5, 6
Sampling and Analysis	7
Notice to Medical Officer of Health and to Ministry	8
Corrective Action	9
Posting Warning Notice	10

Public Information	11
Quarterly Reports	12
Engineers' Reports	13
Documents and other Records	14
Forms	15
Schedule 1	Transitional Accreditation
Schedule 2	Sampling and Analysis Requirements
	Table A (Microbiological)
	Table B (Volatile Organics)
	Table C (Inorganics)
	Table D (Pesticides and PCB)
Schedule 3	Operational Parameters
Schedule 4	Chemical/Physical Standards
Schedule 5	Radiological Standards
Schedule 6	Indicators of Adverse Water Quality

INTERPRETATION

1. In this Regulation,

“approval” means an approval under subsection 52 (1) of the Act;

“Ontario Drinking Water Standards” means the Ministry of the Environment publication entitled “Ontario Drinking Water Standards”, originally dated August 2000, as amended from time to time;

“quarter” means the three-month period beginning on January 1, April 1, July 1 and October 1 in each year;

“water distribution system” means a part of a water treatment or distribution system that distributes water, if that part of the system includes one or more water works;

“water treatment or distribution system” means a system for collecting, producing, treating, storing, supplying or distributing water that includes one or more water works.

2. (1) For the purpose of this Regulation, a laboratory is an accredited laboratory for a parameter if,

(a) the laboratory is accredited for analysis of that parameter by the Standards Council of Canada; or

(b) the laboratory has obtained an accreditation for analysis of that parameter that, in the Director's opinion, is equivalent to accreditation by the Standards Council of Canada.

(2) For the purpose of this Regulation, analysis for a microbiological parameter shall be deemed to be carried out in an accredited laboratory for that parameter if it is carried out in an Ontario Ministry of Health and Long-Term Care laboratory by a member of the College of Medical Laboratory Technologists of Ontario.

(3) Until October 31, 2000, every laboratory shall be deemed to be an accredited laboratory for every parameter except the microbiological parameters listed in Table A (Microbiological) of Schedule 2 (Sampling and Analysis Requirements).

(4) Until February 28, 2001, a laboratory that has applied to the Standards Council of Canada for accreditation in respect of a parameter listed in Schedule 1 (Transitional Accreditation) shall be deemed to be an accredited laboratory for that parameter.

(5) The Director may issue a Notice of Interim Approval for analysis for the microbiological parameters listed in Table A of Schedule 2 to a laboratory that,

- (a) is a member in good standing of the Canadian Association for Environmental Analytical Laboratories;
- (b) has passed the Canadian Association for Environmental Analytical Laboratories Proficiency Testing studies for the microbiological parameters listed in Table A of Schedule 2; and
- (c) has completed the Canadian Association for Environmental Analytical Laboratories Initial or Abbreviated On-Site Assessment addressing the methods specific to those microbiological parameters.

(6) Until October 31, 2000, every laboratory for which a Notice of Interim Approval has been issued under subsection (5) and not revoked shall be deemed to be an accredited laboratory for the microbiological parameters listed in Table A of Schedule 2.

APPLICATION

3. (1) This Regulation applies to every water treatment or distribution system that includes a water works for which an approval would be required if the water works were established on or after August 8, 2000.

(2) Despite subsection (1), this Regulation does not apply to a water treatment or distribution system that obtains all of its water from another water treatment or distribution system to which this Regulation does apply, unless,

- (a) the system that obtains the water is owned or operated by a municipality or by the Ontario Clean Water Agency;
- (b) the system that obtains the water supplies water to a municipality or the Ontario Clean Water Agency; or
- (c) the system that obtains the water rechlorinates or otherwise treats the water.

(3) Despite subsection (1), this Regulation does not apply to a water treatment or distribution system that supplies 50,000 litres of water or less on at least 88 days in every 90-day period, unless the system serves more than five private residences.

(4) Despite subsection (1), this Regulation does not apply to a water treatment or distribution system that is not capable of supplying water at a rate greater than 250,000 litres per day, unless the system serves more than five private residences.

APPROVALS

4. (1) A person who applies for an approval shall do so in accordance with the Ontario Drinking Water Standards.

(2) In considering an application for an approval, the Director shall have regard to the Ontario Drinking Water Standards.

MINIMUM LEVEL OF TREATMENT

5. (1) The owner of a water treatment or distribution system that obtains water from a ground water source shall ensure provision of a minimum level of treatment consisting of disinfection.

(2) The owner of a water treatment or distribution system that obtains water from a surface water source shall ensure provision of a minimum level of treatment consisting of chemically assisted filtration and disinfection or other treatment capable, in the Director's opinion, of producing water of equal or better quality.

(3) The owner of a water treatment or distribution system shall ensure that no water enters a water distribution system or plumbing unless it has been treated with chlorination or another treatment that, in the Director's opinion, is as effective as chlorination to achieve disinfection that persists into the distribution system or plumbing.

(4) Subsections (1), (2) and (3) apply despite any provision in an approval granted before August 1, 2000.

(5) If a water treatment or distribution system commenced operation before August 1, 2000 and, immediately before August 1, 2000, was not in compliance with subsection (1), (2) or (3), the owner,

- (a) is not required to comply with that subsection until December 31, 2002; and
- (b) shall, on or before October 31, 2000, deliver to the Director a written notice describing the action proposed in order to achieve compliance and setting out a timetable for the action.

6. (1) Subsections 5 (1) and (3) do not apply if an approval granted on or after August 1, 2000 provides that disinfection and chlorination are not required.

(2) An approval may provide that disinfection and chlorination are not required only if,

- (a) the water is obtained exclusively from ground water sources; and
- (b) the application for the approval includes,
 - (i) if the owner of the water treatment and distribution system is a municipality, a copy of a resolution of the municipal council approving the application,
 - (ii) the written consent of the medical officer of health for the health unit in which the water treatment and distribution system is located,
 - (iii) results of all water sampling and analysis required by subsection 7 (1) during the 24 months before the application is made,
 - (iv) a report prepared by a hydrogeologist, assessing the aquifer, the well, the well head protection and the impact of existing and anticipated land uses,
 - (v) confirmation that reasonable notice was given of a public meeting to inform users and prospective users of water from the water treatment and distribution system of the application and to obtain their comments on it,
 - (vi) a summary of the comments made at the public meeting mentioned in subclause (v) and the owner's responses to them, and
 - (vii) confirmation that, for every well in the water treatment and distribution system, standby disinfection equipment and a supply of appropriate chemicals will be readily available for immediate use in case disinfection is required.

SAMPLING AND ANALYSIS

7. (1) The owner of a water treatment or distribution system shall ensure that water sampling and analysis is carried out in accordance with,

- (a) Schedule 2 (Sampling and Analysis Requirements); and
- (b) any additional requirements of an approval or an order or direction under the Act.

(2) Subsection (1) prevails over an approval granted before August 1, 2000 that provides for less stringent sampling or analysis.

(3) If analysis of a water sample for a parameter is required by subsection (1), the owner of the system shall ensure that the analysis is carried out by an accredited laboratory for that parameter.

(4) Subsection (3) does not apply to,

- (a) analysis that is carried out by continuous monitoring equipment that forms part of the water treatment or distribution system;
- (b) analysis that is carried out in accordance with an approval, order or direction referred to in clause (1) (b), if the analysis is for a parameter that is not mentioned in Table A (Microbiological) of Schedule 2 (Sampling and Analysis Requirements), Schedule 4 (Chemical/Physical Standards) or Schedule 5 (Radiological Standards) and,

- (i) the parameter is not identified in the approval, order or direction as a health-related parameter, or

- (ii) the parameter is identified in the approval, order or direction as a health-related parameter and the analysis is carried out by a Ministry of the Environment laboratory or by a laboratory that, in the Director's opinion, is proficient in carrying out analyses for that parameter; or

(c) analysis for a parameter listed in Schedule 3 (Operational Parameters), if the analysis is carried out in the water treatment or distribution system by,

- (i) the holder of a Class I, Class II, Class III or Class IV water treatment licence or water distribution licence issued under Ontario Regulation 435/93, or

- (ii) a person who,

- (A) has at least one year of experience working in a laboratory in a water treatment or distribution system or in a laboratory that, in the Director's opinion, is similar to a laboratory in a water treatment or distribution system, and

- (B) has passed, in the preceding 36 months, an examination approved by the Director that relates to water quality analysis in water treatment or distribution systems or, in the Director's opinion, has education, training or experience indicating that the person has the skills tested by the examination.

(5) If analysis of a water sample for a parameter is required by subsection (1) and the analysis will be carried out by a laboratory, the owner of the water treatment or distribution system shall ensure that written notice of the identity of the laboratory is delivered to the Director at least three working days before the sample is analyzed, unless the Director has previously been notified under this subsection that a water sample from the water treatment or distribution system will be analyzed for that parameter by that laboratory.

(6) If analysis of a water sample for a parameter is required by an approval, order or direction referred to in clause (1) (b), the parameter is not mentioned in Table A of Schedule 2, Schedule 4 or Schedule 5, and the parameter is identified in the approval, order or direction as a health-related parameter, the owner of the water treatment or distribution system shall ensure that the laboratory that carries out the analysis is informed, when the sample is sent to the laboratory, of the maximum concentration set out for the parameter in the approval, order or direction.

(7) If subsection (3) applies to the analysis of a water sample for a parameter, the owner of the water treatment or distribution system shall ensure that an accredited laboratory to which the sample is given for analysis does not subcontract the analysis unless,

- (a) the owner consents; and

- (b) the person who carries out the analysis is an accredited laboratory for the parameter.

(8) If subsection (3) applies to the analysis of a water sample for a parameter, the owner of the water treatment or distribution system shall not use a laboratory located outside Ontario unless,

- (a) the laboratory is an accredited laboratory for that parameter;

- (b) the laboratory is provided with a copy of this Regulation and the Ontario Drinking Water Standards; and

- (c) the laboratory agrees to comply with the notification requirements of,

- (i) section 8, and

- (ii) subsection (10) of this section.

(9) Despite subsection (5), the notice required by that subsection may be given at any time before the analysis is carried out or within 24 hours after the analysis is carried out, if the analysis is carried out before September 5, 2000.

(10) Every laboratory that carries out an analysis of a water sample under subsection (3) shall submit a report on the results of the analysis to the Director at the same time as the report is sent to the owner.

NOTICE TO MEDICAL OFFICER OF HEALTH AND TO MINISTRY

8. (1) The owner of a water treatment or distribution system shall ensure that notice is given in accordance with this section if,

- (a) analysis of a water sample from a water distribution system or a sample of treated water,

- (i) shows that a parameter exceeds the Maximum Acceptable Concentration (MAC) or Interim Maximum Acceptable Concentration (IMAC) set out for the parameter in Schedule 4 (Chemical/Physical Standards) or 5 (Radiological Standards),

- (ii) shows that a parameter that is identified in an approval, order or direction referred to in clause 7 (1) (b) as a health-related parameter and that is not mentioned in Schedule 4 or 5 exceeds the maximum concentration set out for that parameter in the approval, order or direction, or

- (iii) is an indicator of adverse water quality described in Schedule 6 (Indicators of Adverse Water Quality); or

- (b) other observations disclose an indicator of adverse water quality described in Schedule 6.

(2) In addition to the obligation of the owner under subsection (1) to ensure that notice is given in accordance with this section, a laboratory shall give notice in accordance with this section and shall immediately advise the owner if an analysis carried out by the laboratory of a water sample from a water distribution system or a sample of treated water,

- (a) shows that a parameter exceeds the Maximum Acceptable Concentration (MAC) or Interim Maximum Acceptable Concentration (IMAC) set out for the parameter in Schedule 4 or 5;

- (b) shows that a parameter that is identified in an approval, order or direction referred to in clause 7 (1) (b) as a health-related parameter and that is not mentioned in Schedule 4 or 5 exceeds the maximum concentration set out for that parameter in the approval, order or direction; or
 - (c) is an indicator of adverse water quality described in Schedule 6.
- (3) Notice under this section must be given to,
- (a) the medical officer of health for the health unit in which the water treatment or distribution system is located; and
 - (b) the Ministry.
- (4) The notice must be given immediately and must be confirmed in writing within 24 hours.
- (5) The immediate notice required by subsection (4) must be given by speaking directly or by telephone with a person referred to in subsection (6).
- (6) For the purpose of subsection (5), the immediate notice required by subsection (4) must be given,
- (a) to a medical officer of health, by speaking with a person at the office of the medical officer of health or, if the office is closed, by speaking with a person at the on-call system of the health unit; and
 - (b) to the Ministry, by speaking with a person at the Ministry's Spills Action Centre.
- (7) The written confirmation required by subsection (4) must be given,
- (a) to a medical officer of health, by delivering the confirmation to the office of the medical officer of health; and
 - (b) to the Ministry, by delivering the confirmation to the Ministry's Spills Action Centre.
- (8) A notice given under this section by the owner of a water treatment or distribution system must confirm that appropriate action is being taken.

(9) If notice was required under subclause (1) (a) (i) or clause (2) (a) because turbidity exceeded the Maximum Acceptable Concentration (MAC) set out for turbidity in Schedule 4, no further notice is required under that provision in respect of the turbidity of a sample taken from a ground water source less than 48 hours after the notice was initially required under that provision.

CORRECTIVE ACTION

9. If notice is required under subsection 8 (1), the owner of the water treatment or distribution system shall ensure that,

- (a) in the case of notice required under subclause 8 (1) (a) (i) or (ii), another sample is taken and analyzed; and
- (b) in the case of notice required under subclause 8 (1) (a) (iii) or clause 8 (1) (b), the corrective action specified in Schedule 6 (Indicators of Adverse Water Quality) for the relevant indicator of adverse water quality is taken.

POSTING WARNING NOTICE

10. (1) The owner of a water treatment or distribution system shall ensure that a warning notice is posted in accordance with this section if,

- (a) the owner does not comply with the sampling or analysis requirements of subsection 7 (1) with respect to a microbiological parameter; or
- (b) notice is required under subsection 8 (1) because of a microbiological parameter and the corrective action specified in Schedule 6 (Indicators of Adverse Water Quality) for the relevant indicator of adverse water quality has not been taken.

(2) The warning notice required by this section must be posted in a prominent location where it is likely to come to the attention of users of water from the water treatment or distribution system.

(3) If the owner does not comply with subsection (1), a provincial officer or a public health inspector under the *Health Protection and Promotion Act* may post the warning notice.

PUBLIC INFORMATION

11. (1) The owner of a water treatment or distribution system shall ensure that the following information is available at the location or locations specified in subsection (2) for inspection by any member of the public during normal business hours without charge:

1. A copy of every report given to the owner by an accredited laboratory on the analysis of water samples taken under section 7.
2. A copy of every report or record made of the analysis of water samples carried out under clause 7 (4) (c) for aluminum, chloramine, chlorine residual, fluoride or turbidity.
3. A copy of every approval and every order or direction under the Act that applies to the system and is still in effect.
4. A copy of every report prepared under section 12.
5. A copy of this Regulation and the Ontario Drinking Water Standards.

(2) The information must be available at,

- (a) the office of the owner or, if the office of the owner is not reasonably convenient to users of water from the system, at a location that is reasonably convenient to those users; and
- (b) if the owner is not a municipality but the system serves a municipality, at the office of the municipality.

(3) Paragraphs 1 and 2 of subsection (1) do not apply to a report or record until the day after the report or record comes into the owner's possession.

(4) Paragraphs 1, 2 and 4 of subsection (1) do not apply to a report or record that is more than two years old.

(5) Paragraphs 1, 2 and 3 of subsection (1) do not apply to reports, records, approvals, orders or directions given, made or granted before August 26, 2000.

QUARTERLY REPORTS

12. (1) The owner of a water treatment or distribution system shall ensure that a written report is prepared and submitted to the Director, not later than 30 days after the end of each quarter, that,

- (a) for the quarter, describes the water system, the operation of the system and the sources of the water collected, produced, treated, stored, supplied or distributed by the system;
- (b) describes the measures taken to comply with this Regulation and the Ontario Drinking Water Standards during the quarter;

- (c) summarizes the analytical results obtained during the quarter for water samples taken under section 7 and the notices, if any, that were required to be given during the quarter under section 8; and
- (d) provides information referred to in clauses (a), (b) and (c) relating to previous quarters, if the information only became known during the quarter for which the report is prepared.

(2) The owner of the system shall ensure that a copy of any report under this section is given, without charge, to every user of water from the system who requests a copy.

(3) The owner of the system shall ensure that, every time a report is prepared under this section, effective steps are taken to advise users of water from the system that copies of the report are available, without charge, and of how a copy may be obtained.

(4) If a water treatment or distribution system serves more than 10,000 people, the owner of the system shall ensure that a copy of every report prepared under this section is available to the public at no charge on a website on the Internet.

(5) Subsections (2) and (4) do not apply to a report that is more than two years old.

(6) Subsection (1) does not apply to a quarter that began before June 30, 2000.

ENGINEERS' REPORTS

13. (1) The owner of a water treatment or distribution system shall ensure that written reports are prepared for the Ministry by a person referred to in subsection (2) in accordance with the Ministry of the Environment publication entitled "Terms of Reference for Engineers' Reports for Water Works", originally dated August 2000, as amended from time to time, if,

- (a) the system is owned or operated by a municipality or by the Ontario Clean Water Agency;
- (b) a municipality or the Ontario Clean Water Agency has contracted with the owner of the system to obtain water from the system; or
- (c) reports under this section are required by an approval or by an order or direction under the Act.

(2) Reports under this section must be prepared by a professional engineer as defined in the *Professional Engineers Act* who has experience in sanitary engineering related to drinking water supplies and who is not an employee of the owner.

(3) If a water treatment or distribution system is listed in the Ministry of the Environment publication entitled Drinking Water Submission Dates for First Engineer's Report, dated August 2000, the owner of the system shall ensure that,

- (a) a copy of the first report prepared under subsection (1) is submitted to the Director not later than the date specified for the system in that publication;
- (b) a copy of the second report prepared under subsection (1) is submitted to the Director not later than the third anniversary of the date the first report was required to be submitted or, if an approval is granted that indicates that it is granted in response to the first report, not later than the third anniversary of the date the approval is granted or such earlier date as may be specified in that approval or another approval; and
- (c) subsequent reports prepared under subsection (1) are submitted to the Director not later than the third anniversary of the date the

previous report was required to be submitted or such earlier date as may be specified in an approval.

(4) If a water treatment or distribution system is not listed in the Ministry of the Environment publication entitled Drinking Water Submission Dates for First Engineer's Report, dated August 2000, and the system began operation before August 1, 2000, the owner of the system shall ensure that a copy of the first report prepared under subsection (1) is submitted to the Director not later than July 31, 2001.

(5) If a water treatment or distribution system begins operation on or after August 1, 2000, the owner of the system shall ensure that a copy of the first report prepared under subsection (1) is submitted to the Director not later than the third anniversary of the date the system began operation or such earlier date as may be specified in an approval.

(6) Despite subsections (3), (4) and (5), if reports under subsection (1) are required by an approval or by an order or direction under the Act, the owner of the system shall ensure that a copy of the first report prepared under subsection (1) is submitted to the Director not later than the date specified by the approval, order or direction.

(7) The owner of a water treatment or distribution system to which subsection (4), (5) or (6) applies shall ensure that subsequent reports prepared under subsection (1) are submitted to the Director not later than the third anniversary of the date the previous report was required to be submitted or such earlier date as may be specified in an approval.

(8) This section only applies to a water treatment or distribution system that collects surface water or ground water or that treats water, including a system that rechlorinates water.

DOCUMENTS AND OTHER RECORDS

14. (1) The owner of a water treatment or distribution system shall ensure that the following documents and other records are kept for at least five years:

1. Every report given to the owner by an accredited laboratory on the analysis of water samples taken under section 7.
2. Every report or record made of the analysis of water samples carried out under clause 7 (4) (c) for aluminum, chloramine, chlorine residual, fluoride or turbidity.
3. Every report prepared under section 12.
4. Every report prepared under section 13.

(2) The owner of a water treatment or distribution system shall ensure a document or other record referred to in subsection (1) is submitted to the Director within seven days after the Director makes a request for it.

FORMS

15. (1) Where this Regulation requires a written notice, warning notice or report, the notice or report must be in a form provided by or approved by the Director.

(2) The Director may require that a document or other record that is submitted under this Regulation be submitted in an electronic format specified by the Director.

Schedule 1

TRANSITIONAL ACCREDITATION

2,3,4,6-tetrachlorophenol
2,4-dichlorophenol
2,4-dichlorophenoxyacetic acid

2,4,5-trichlorophenoxyacetic acid
 2,4,6-trichlorophenol
 Alachlor
 Aldicarb
 Aldrin + Dieldrin
 Arsenic
 Atrazine
 Azinphos-methyl
 Bendiocarb
 Benzo(a)pyrene
 Bromoxynil
 Carbaryl
 Carbofuran
 Chlordane
 Chlorpyrifos
 Cyanazine
 DDT
 Diazinon
 Dicamba
 Diclofop-methyl
 Dimethoate
 Dinoseb
 Dioxin and furan
 Diquat
 Diuron

Glyphosate
 Heptachlor + Heptachlor Epoxide
 Lindane
 Malathion
 Mercury (Hg)
 Methoxychlor
 Metolachlor
 Metribuzin
 Nitrilotriacetic acid (NTA)
 Nitrosodimethylamine (NDMA)
 Paraquat
 Parathion
 PCB
 Pentachlorophenol
 Phorate
 Picloram
 Prometryne
 Radionuclides
 Selenium
 Simazine
 Temephos
 Terbufos
 Triallate
 Trifluralin
 Uranium

Schedule 2

SAMPLING AND ANALYSIS REQUIREMENTS

Samples shall be taken from the point at which treated water enters the distribution system unless directed otherwise in the following table.

“Distribution samples” or samples required to be taken “in the distribution system” shall be taken in the distribution system from a point significantly beyond the point at which treated water enters the distribution system.

All sampling shall be done by taking grab samples unless “continuous monitoring” is specified. Continuous monitoring implies that sampling and analysis is done by continuous monitoring equipment that forms part of the water treatment or distribution system.

Sampling and analysis is required for all parameters indicated in the first column, unless an entry in one of the other columns indicates otherwise.

For the purpose of this Schedule, ground water under the direct influence of surface water is considered to be surface water.

Parameter	Surface Water Source With Filtration	Surface Water Source Without Filtration	Ground Water Source
Microbiological Table A	Up to 100,000 population, a minimum of 8 samples plus an additional 1 sample per 1,000 population, shall be taken monthly in the distribution system, with at least one such sample taken every week. Over 100,000 population, a minimum of 100 samples plus an additional 1 sample per 10,000 population, shall be taken monthly in the distribution system, with at least three such samples taken every week. Only 25 per cent of each batch of the above samples needs to be analyzed for heterotrophic plate count or background colonies on a total coliform membrane filter analysis. A sample must be taken at least once per week from the point at which treated water enters the distribution system. A sample must be taken at least once per week from the raw water source (in a ground water source this means each well).		

Parameter	Surface Water Source With Filtration	Surface Water Source Without Filtration	Ground Water Source																				
Turbidity	grab sample every four hours or continuous monitoring on each filter effluent line for systems serving fewer than 500 persons, monitoring can be reduced to two grab samples per day	continuous monitoring	grab sample once a day																				
Chlorine Residual (equivalent to free chlorine residual)	continuous monitoring for systems serving over 3,000 grab samples for systems serving 3,000 or fewer as follows: <table><tr><td>population</td><td>frequency</td></tr><tr><td>≤ 500</td><td>1/day</td></tr><tr><td>500-1,000</td><td>2/day</td></tr><tr><td>1,001-2,500</td><td>3/day</td></tr><tr><td>2,501-3,000</td><td>4/day</td></tr></table> distribution samples shall be taken simultaneously with and at the same location as required for microbiological sampling	population	frequency	≤ 500	1/day	500-1,000	2/day	1,001-2,500	3/day	2,501-3,000	4/day	continuous monitoring for systems serving over 3,000 grab samples for systems serving 3,000 or fewer as follows: <table><tr><td>population</td><td>frequency</td></tr><tr><td>≤ 500</td><td>1/day</td></tr><tr><td>500-1,000</td><td>2/day</td></tr><tr><td>1,001-2,500</td><td>3/day</td></tr><tr><td>2,501-3,000</td><td>4/day</td></tr></table> distribution samples shall be taken simultaneously with and at the same location as required for microbiological sampling	population	frequency	≤ 500	1/day	500-1,000	2/day	1,001-2,500	3/day	2,501-3,000	4/day	one grab sample per day shall be taken distribution samples shall be taken simultaneously with and at the same location as required for microbiological sampling
population	frequency																						
≤ 500	1/day																						
500-1,000	2/day																						
1,001-2,500	3/day																						
2,501-3,000	4/day																						
population	frequency																						
≤ 500	1/day																						
500-1,000	2/day																						
1,001-2,500	3/day																						
2,501-3,000	4/day																						
Fluoride	continuous monitoring or daily monitoring using grab sampling where treatment process includes fluoridation all other supply systems shall monitor for fluoride annually	continuous monitoring or daily monitoring using grab sampling where treatment process include fluoridation all other supply systems shall monitor for fluoride annually	continuous monitoring or daily monitoring using grab sampling where treatment process include fluoridation all other supply systems shall monitor for fluoride annually																				
Volatile Organics Table B	trihalomethanes quarterly in the distribution system at a point reflecting the maximum residence time in the distribution system all others quarterly	trihalomethanes quarterly in the distribution system at a point reflecting the maximum residence time in the distribution system all others quarterly	trihalomethanes quarterly in the distribution system at a point reflecting the maximum residence time in the distribution system all others quarterly																				
Inorganics Table C And Sodium	annually in addition, lead shall be sampled annually in the distribution system at a point reflecting the maximum residence time in the distribution system sampling for sodium is not required	annually in addition, lead shall be sampled annually in the distribution system at a point reflecting the maximum residence time in the distribution system sampling for sodium is not required	every three years in addition, lead shall be sampled annually in the distribution system at a point reflecting the maximum residence time in the distribution system sodium shall be sampled every five years																				
Nitrates/Nitrites	quarterly	quarterly	quarterly																				
Pesticides & PCB Table D	quarterly	quarterly	quarterly																				

TABLE A
MICROBIOLOGICAL

Total Coliforms <i>Escherichia coli</i> or fecal coliforms Heterotrophic plate count or total coliform background count by membrane filter analysis

TABLE B

VOLATILE ORGANICS

Benzene	Ethylbenzene
Carbon Tetrachloride	Monochlorobenzene
1,2-Dichlorobenzene	Tetrachloroethylene
1,4-Dichlorobenzene	Toluene Trichloroethylene
1,2-Dichloroethane	Trihalomethanes
1,1-Dichloroethylene	Vinyl chloride
Dichloromethane	Xylene

TABLE C

INORGANICS

Arsenic	Lead
Barium	Manganese
Boron	Mercury
Cadmium	Nitrate
Chromium	Nitrite
Copper	Selenium
Iron	Uranium

TABLE D

PESTICIDES AND PCB

Alachlor	Glyphosate
Aldicarb	Heptachlor + heptachlor epoxide
Aldrin+Dieldrin	Lindane(Total)
Atrazine	Malathion
Azinphos-methyl	Methoxychlor
Bendiocarb	Metolachlor
Bromoxynil	Metribuzin
Carbaryl	Paraquat
Carbofuran	Parathion
Chlordane(Total)	Pentachlorophenol
Chlorpyrifos	Phorate
Cyanazine	Picloram
Diazinon	PCB
Dicamba	Prometryne
2,4-Dichlorophenol	Simazine
DDT	Temephos
2,4-D	Terbufos
Diclofop-methyl	2,3,4,6-Tetrachlorophenol
Dimethoate	Triallate
Dinoseb	2,4,6-Trichlorophenol
Diquat	Trifluralin
Diuron	2,4,5-T

Schedule 3

OPERATIONAL PARAMETERS

Fluoride	Temperature
Colour	Odour/taste
Aluminum	Alkalinity
pH	Methane
Turbidity	Chloramine
Hardness	Residual chlorine

Schedule 4

CHEMICAL/PHYSICAL STANDARDS

Parameter	MAC (mg/L)	IMAC (mg/L)
Alachlor		0.005
Aldicarb	0.009	
Aldrin + Dieldrin	0.0007	
Arsenic		0.025
Atrazine + N-dealkylated metabolites		0.005
Azinphos-methyl	0.02	
Barium	1.0	
Bendiocarb	0.04	
Benzene	0.005	
Benzo(a)pyrene	0.00001	
Boron		5.0
Bromoxynil		0.005
Cadmium	0.005	
Carbaryl	0.09	
Carbofuran	0.09	
Carbon Tetrachloride	0.005	
Chloramines	3.0	
Chlordane (Total)	0.007	
Chlorpyrifos	0.09	
Chromium	0.05	
Cyanazine		0.01
Cyanide	0.2	
Diazinon	0.02	
Dicamba	0.12	
1,2-Dichlorobenzene	0.2	
1,4-Dichlorobenzene	0.005	
Dichlorodiphenyltrichloroethane (DDT)+Metabolites	0.03	
1,2-Dichloroethane		0.005
1,1-Dichloroethylene(vinylidene chloride)	0.014	
Dichloromethane	0.05	
2-4-Dichlorophenol	0.9	
2,4-Dichlorophenoxyacetic acid(2,4-D)		0.1
Diclofop-methyl	0.009	
Dimethoate		0.02
Dinoseb	0.01	
Dioxin and Furan		0.000000015 ^a
Diquat	0.07	
Diuron	0.15	
Fluoride	1.5 ^b	
Glyphosate		0.28
Heptachlor + Heptachlor Epoxide	0.003	
Lead	0.01 ^c	

Parameter	MAC (mg/L)	IMAC (mg/L)
Lindane (Total)	0.004	
Malathion	0.19	
Mercury	0.001	
Methoxychlor	0.9	
Metolachlor		0.05
Metribuzin	0.08	
Monochlorobenzene	0.08	
Nitrate(as nitrogen)	10.0	
Nitrite (as nitrogen)	1.0	
Nitrate + Nitrite (as nitrogen)	10.0	
Nitrilotriacetic Acid (NTA)	0.4	
Nitrosodimethylamine (NDMA)		0.000009
Paraquat		0.01
Parathion	0.05	
Pentachlorophenol	0.06	
Phorate		0.002
Picloram		0.19
Polychlorinated Biphenyls (PCBs)		0.003
Prometryne		0.001
Selenium	0.01	
Simazine		0.01
Temephos		0.28
Terbufos		0.001
Tetrachloroethylene (perchloroethylene)	0.030	
2,3,4,6-Tetrachlorophenol	0.10	
Triallate	0.23	
Trichloroethylene	0.05	
2,4,6-Trichlorophenol	0.005	
2,4,5-Trichlorophenoxyacetic acid (2,4,5-T)	0.28	
Trifluralin		0.045
Trihalomethanes	0.100 ^d	
Turbidity	1.0 NTU	
Uranium	0.10	
Vinyl Chloride	0.002	

Notes:

Short forms:

MAC - Maximum Acceptable Concentration

NTU - Nephelometric Turbidity Unit

IMAC - Interim Maximum Acceptable Concentration

mg/L - milligrams per litre

Footnotes:

^a Total toxic equivalents when compared with 2,3,7,8-TCDD (tetrachlorodibenzo-p-dioxin).

^b Where fluoride is added to drinking water, it is recommended that the concentration be adjusted to 1.0(+/- 0.2) mg/L, the optimum level for control of tooth decay.

^c This standard applies to water at the point of consumption.

^d This standard is expressed as a running annual average.

Schedule 5**RADIOLOGICAL STANDARDS**

Parameter	MAC (Bq/L)	Parameter	MAC (Bq/L)
Natural Radionuclides			
Beryllium-7	4000	Thorium-228	2
Bismuth -210	70	Thorium-230	0.4
Lead-210	0.1	Thorium-232	0.1
Polonium-210	0.2	Thorium-234	20
Radium-224	2	Uranium-234	4
Radium-226	0.6	Uranium-235	4
Radium-228	0.5	Uranium-238	4
Artificial Radionuclides			
Americium-241	0.2	Niobium-95	200
Antimony-122	50	Phosphorus-32	50
Antimony-124	40	Plutonium-238	0.3
Antimony-125	100	Plutonium-239	0.2
Barium-140	40	Plutonium-240	0.2
Bromine-82	300	Plutonium-241	10
Calcium-45	200	Rhodium-105	300
Calcium-47	60	Rubidium-81	3000
Carbon-14	200	Rubidium-86	50
Cerium-141	100	Ruthenium-103	100
Cerium-144	20	Ruthenium-106	10
Cesium-131	2000	Selenium-75	70
Cesium-134	7	Silver-108m	70
Cesium-136	50	Silver-110m	50
Cesium-137	10	Silver-111	70
Chromium-51	3000	Sodium-22	50
Cobalt-57	40	Strontium-85	300
Cobalt-58	20	Strontium-89	40
Cobalt-60	2	Strontium-90	5
Gallium-67	500	Sulphur-35	500
Gold-198	90	Technetium-99	200
Indium-111	400	Technetium-99m	7000
Iodine-125	10	Tellurium-129m	40
Iodine-129	1	Tellurium-131m	40
Iodine-131	6	Tellurium-132	40
Iron-55	300	Thallium-201	2000
Iron-59	40	Tritium	7000
Manganese-54	200	Ytterbium-169	100
Mercury-197	400	Yttrium-90	30
Mercury-203	80	Yttrium-91	30
Molybdenum-99	70	Zinc-65	40
Neptunium-239	100	Zirconium-95	100

Notes:

Radionuclide concentrations that exceed the MAC may be tolerated for a short duration, if the annual average concentrations remain below the MAC and the restriction (see immediately below) for multiple radionuclides is met.

Restrictions for multiple radionuclides — If two or more radionuclides are present, the following relationship based on International Commission on Radiological Protection (ICRP) Publication 26, must be satisfied and, if it is not satisfied, a MAC shall be considered to be exceeded:

$$\frac{c_1}{C_1} + \frac{c_2}{C_2} + \dots + \frac{c_i}{C_i} \leq 1$$

where c_1 , c_2 , and c_i are the observed concentrations, and C_1 , C_2 and C_i are maximum acceptable concentrations (MAC) for each contributing radionuclide.

Schedule 6**INDICATORS OF ADVERSE WATER QUALITY**

Each of the following is an indicator of adverse water quality:

- Escherichia coli* (*E. coli*) or fecal coliform is detected in any required sample other than a raw water sample. (Corrective action: Increase the chlorine dose and flush the mains to ensure that a total chlorine residual of at least 1.0 mg/L or a free chlorine residual of 0.2 mg/L is achieved at all points in the affected part(s) of the distribution system. Resample and analyze. Corrective action should begin immediately and continue until *E. coli* and fecal coliforms are no longer detected in two consecutive sets of samples or as instructed by the local Medical Officer of Health.)
- Total coliforms detected (but not *Escherichia coli* or other fecal coliforms) in any required sample other than a raw water sample. (Corrective action: Resample at the same site and analyze. If confirmed to be positive, increase the chlorine dose and flush the mains to ensure a total chlorine residual of at least 1.0 mg/L or a free chlorine residual of 0.2 mg/L to all points in the affected part(s) of the distribution system. Corrective action outlined should begin immediately and continue until total coliforms are no longer detected in two consecutive sets of samples or as instructed by the local Medical Officer of Health.)
- Unchlorinated water is directed to the distribution system, where chlorination is used or required. This includes water in the distribution system which has less than 0.05 mg/L of free chlorine residual when tested. (Corrective action: Restore chlorination immediately and follow instructions as directed by the local Medical Officer of Health.)
- Samples, other than raw water samples, containing more than 500 colonies per mL on a heterotrophic plate count analysis. (Corrective action: Resample and analyze. On confirmation, call the local Medical Officer of Health again and consult.)
- Samples, other than raw water samples, containing more than 200 background colonies on a total coliform membrane filter analysis. (Corrective action: Resample and analyze. On confirmation, call the local Medical Officer of Health again and consult.)
- Aeromonas* spp., *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Clostridium* spp. or fecal streptococci (Group D streptococci) are detected in samples, other than raw water samples. (Corrective action: Resample and analyze. On confirmation, call the local Medical Officer of Health again and consult.)
- Sodium concentration exceeds 20 mg/L. Notification need not occur more frequently than once in five years. (Corrective action: Resample and analyze. On confirmation, call the local Medical Officer of Health again. The aesthetic objective for sodium in drinking water is 200 mg/L. The local Medical Officer of Health must be notified when the sodium concentration exceeds 20 mg/L so that this information may be communicated to local physicians for their use with patients on sodium restricted diets.)
- A pesticide not listed in Table D of Schedule 2 is detected. (Corrective action: Resample, take a corresponding raw water sample and analyze. On confirmation, call the local Medical Officer of Health again and consult. Drinking water should be free of pesticides and every effort should be made to prevent pesticides from entering raw water sources. Pesticides may be reported by their most common trade name, a listing of which, called the Compendium of Scheduled Pesticides is accessible on the Internet through the web site of the Ministry of the Environment at www.ene.gov.on.ca.)

35/00

ONTARIO REGULATION 460/00

made under the
EDUCATION ACT

Made: August 8, 2000
Filed: August 8, 2000

Amending O. Reg. 412/00
(Elections to and Representation on District School Boards)

Note: Ontario Regulation 412/00 has previously been amended by Ontario Regulation 432/00.

1. The definition of "start date" in subsection 13 (1) of Ontario Regulation 412/00 is revoked and the following substituted:

RÈGLEMENT DE L'ONTARIO 460/00

pris en application de la
LOI SUR L'ÉDUCATION

pris le 8 août 2000
déposé le 8 août 2000

modifiant le Règl. de l'Ont. 412/00
(Élections aux conseils scolaires de district
et représentation au sein de ces conseils)

Remarque : Le Règlement de l'Ontario 412/00 a été modifié antérieurement par le Règlement de l'Ontario 432/00.

1. La définition de «date de commencement» au paragraphe 13 (1) du Règlement de l'Ontario 412/00 est abrogée et remplacée par ce qui suit :

“start date” means,

- (a) with respect to the Hamilton-Wentworth District School Board and the Hamilton-Wentworth Catholic District School Board, July 31, 2000, and
- (b) with respect to all other boards, July 3, 2000; (“date de commencement”)

2. Section 15 of the Regulation is amended by adding the following subsection:

(9) The references in subsections (1) and (3) to “seven days after the start date” shall be deemed, in the case of the Hamilton-Wentworth District School Board and the Hamilton-Wentworth Catholic District School Board, to be references to August 10, 2000.

35/00

ONTARIO REGULATION 461/00
made under the
PUBLIC LANDS ACT

Made: August 8, 2000
Filed: August 10, 2000

Amending O. Reg. 805/94
(Conservation Reserve)

Note: Since the end of 1998, Ontario Regulation 805/94 has been amended by Ontario Regulation 375/00. Previous amendments are listed in the Table of Regulations in the Statutes of Ontario, 1998.

1. Ontario Regulation 805/94 is amended by adding the following Schedules:

Schedule 31

BEAR CREEK CONSERVATION RESERVE

In the geographic Township of Bethune, in the Town of Kearney, in the Territorial District of Parry Sound, containing 212 hectares, more or less, being composed of those parts of the said geographic township designated as Parts 1 to 3, both inclusive, on a plan known as C84 Bear Creek Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 32

BEAR LAKE PEATLAND CONSERVATION RESERVE

In the geographic and municipal Township of Ryerson, and in the geographic Township of Monteith in the municipal Township of McMurrich/Monteith, and in the geographic Township of Spence, in the Municipality of Magnetawan, in the Territorial District of Parry Sound, containing 3,845 hectares, more or less, being composed of those parts of the said geographic townships designated as Parts 1 to 8, both inclusive, on a plan known as C85 Bear Lake Peatland Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 33

BIG DEER LAKE CONSERVATION RESERVE

In the geographic Township of Ferrie, in the Municipality of Whitestone, in the Territorial District of Parry Sound, containing 436 hectares, more or less, being composed of that part of the said

«date de commencement» S’entend de ce qui suit :

- a) le 31 juillet 2000, dans le cas des conseils scolaires de district appelés «Hamilton-Wentworth District School Board» et «Hamilton-Wentworth Catholic District School Board»;
- b) le 3 juillet 2000, dans le cas des autres conseils. («start date»)

2. L’article 15 du Règlement est modifié par adjonction du paragraphe suivant :

(9) Les mots «sept jours après la date de commencement» aux paragraphes (1) et (3) sont réputés s’entendre du 10 août 2000 dans le cas des conseils scolaires de district appelés «Hamilton-Wentworth District School Board» et «Hamilton-Wentworth Catholic District School Board».

geographic township designated as Part 1 on a plan known as C78 Big Deer Lake Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 34

FERRIE TOWNSHIP FOREST CONSERVATION RESERVE

In the geographic Township of Ferrie, in the Municipality of Whitestone, in the Territorial District of Parry Sound, containing 474 hectares, more or less, being composed of that part of the said geographic township designated as Part 1 on a plan known as C81 Ferrie Township Forest Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 35

**FERGUSON TOWNSHIP WHITE PINE FOREST
CONSERVATION RESERVE**

In the geographic Township of Ferguson, in the Municipality of McDougall, in the Territorial District of Parry Sound, containing 364 hectares, more or less, being composed of that part of the said geographic township designated as Part 1 on a plan known as C107 Ferguson Township White Pine Forest Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 36

JEVINS & SILVER LAKE CONSERVATION RESERVE

In the geographic Townships of Morrison and Muskoka, in the Town of Gravenhurst, in the District Municipality of Muskoka, containing 2,144 hectares, more or less, being composed of those parts of the said geographic townships designated as Parts 1 to 25, both inclusive, on a plan known as C37 Jevins & Silver Lake Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 37

**ISLAND LAKE FOREST AND BARRENS
CONSERVATION RESERVE**

In the geographic Townships of Brown, Burton, Mckenzie and Wilson, in the Municipality of Whitestone, in the Territorial District of Parry Sound, containing 15,475 hectares, more or less, being composed of those parts of the said geographic townships designated as Parts 1

and 2 on a plan known as C106 Island Lake Forest and Barrens Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 38

LITTLE SPRING LAKE CONSERVATION RESERVE

In the geographic Townships of Chapman and Croft, in the Municipality of Magnetawan, in the geographic Township of Ferrie, in the Municipality of Whitestone, and in the geographic Township of Lount, in the Territorial District of Parry Sound, containing 106 hectares, more or less, being composed of those parts of the said geographic townships designated as Parts 1, 2 and 3 on a plan known as C80 Little Spring Lake Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

Schedule 39

OXBOW LAKE FOREST CONSERVATION RESERVE

In the geographic Township of Burton, in the Municipality of Whitestone, in the Territorial District of Parry Sound, containing 200 hectares, more or less, being composed of that part of the said geographic township designated as Part 1 on a plan known as C50 Oxbow Lake Forest Conservation Reserve, filed on March 15, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources in Peterborough, Ontario.

35/00

ONTARIO REGULATION 462/00 made under the PROVINCIAL PARKS ACT

Made: August 8, 2000
Filed: August 10, 2000

Amending Reg. 951 of R.R.O. 1990
(Designation of Parks)

Note: Since the end of 1998, Regulation 951 has been amended by Ontario Regulations 282/00 and 376/00. Previous amendments are listed in the Table of Regulations in the Statutes of Ontario, 1998.

1. Section 2 of Regulation 951 of the Revised Regulations of Ontario, 1990 is amended by adding the following description:

BIG EAST RIVER PROVINCIAL PARK (WATERWAY CLASS)

In the geographic Township of Chaffey, in the Town of Huntsville, and in the geographic townships of Sinclair and Finlayson, in the municipal Township of Lake of Bays, in the District Municipality of Muskoka, containing 1,050 hectares, more or less, being composed of those parts of the said geographic townships designated as Parts 1 to 4, both inclusive, on a plan known as P83 Big East River Provincial Park, filed on May 2, 2000 in the Office of the Surveyor General at the Ministry of Natural Resources at Peterborough, Ontario.

35/00

ONTARIO REGULATION 463/00 made under the FISH AND WILDLIFE CONSERVATION ACT, 1997

Made: August 8, 2000
Filed: August 10, 2000

Amending O. Reg. 663/98
(Area Descriptions)

Note: Ontario Regulation 663/98 has previously been amended by Ontario Regulations 378/00 and 379/00.

1. Part 3 of Ontario Regulation 663/98 is amended by adding the following Schedule:

Schedule 71

Big East River Provincial Park.

35/00

ONTARIO REGULATION 464/00 made under the ONTARIO MUNICIPAL EMPLOYEES RETIREMENT SYSTEM ACT

Made: August 8, 2000
Filed: August 10, 2000

Amending Reg. 890 of R.R.O. 1990
(General)

Note: Since the end of 1998, Regulation 890 has been amended by Ontario Regulations 317/99, 633/99, 75/00 and 430/00. Previous amendments are listed in the Table of Regulations in the Statutes of Ontario, 1998.

1. Paragraph 2 of subsection 17 (7.2) of Regulation 890 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

2. The bridge pension under subsection 13 (6.1), (6.2) or (7) that was payable immediately before the member becomes entitled to a CPP pension shall be determined without any reduction under subsection (7) or (7.1).

2. This Regulation shall be deemed to have come into force on July 10, 2000.

35/00

ONTARIO REGULATION 465/00 made under the HIGHWAY TRAFFIC ACT

Made: August 8, 2000
Filed: August 11, 2000

Amending Reg. 630 of R.R.O. 1990
(Vehicles on Controlled-Access Highways)

Note: Regulation 630 has previously been amended. These amendments are listed in the Table of Regulations in the Statutes of Ontario, 1998.

1. The Schedule to Regulation 630 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

Schedule

1. All of the King's Highway known as Nos. 401, 402, 403, 404, 405, 407, 409, 410, 416, 417 and 427.
2. That part of the King's Highway known as No. 400 lying between a point situate at its intersection with the southerly limit of the structure over the roadway known as Maple Leaf Drive in the City of Toronto and a point at its intersection with the southerly limit of the roadway known as Muskoka Road 5 in the Township of Georgian Bay.
3. That part of the King's Highway known as No. 406 lying between a point at its intersection with the King's Highway known as The Queen Elizabeth Way in the City of St. Catharines and a point at its intersection with the roadway known as Holland Road in the Town of Thorold.
4. That part of the King's Highway known as No. 420 in the City of Niagara Falls lying between a point at its intersection with the King's Highway known as The Queen Elizabeth Way and a point at its intersection with the roadway known as Stanley Avenue.
5. All of the King's Highway known as The Queen Elizabeth Way.
6. That part of the King's Highway known as No. 5 in the Town of Flamborough lying between a point at its intersection with the King's Highway known as No. 6 and a point at its intersection with the King's Highway known as No. 8.
7. That part of the King's Highway known as No. 6 lying between a point at its intersection with the King's Highway known as No. 403 at the Town of Dundas boundary and a point at its intersection with the King's Highway known as No. 401 in the Township of Puslinch.
8. That part of the King's Highway known as No. 6 in the Township of Glanbrook lying between a point at its intersection with the roadway known as Haldibrook Road (southern boundary of The Regional Municipality of Hamilton-Wentworth) and the roadway known as Alderlea Avenue.
9. That part of the King's Highway known as No. 7 in the City of Brampton lying between a point at its intersection with the King's Highway known as Nos. 7 and 410 (Heart Lake Road) and a point at its intersection with the northern boundary of The Regional Municipality of Halton.
10. That part of the King's Highway known as Nos. 7 and 410 (Heart Lake Road) in the City of Brampton lying between a point at its northern intersection with the King's Highway known as No. 7 (Bovaird Drive) and a point at its southern intersection with the King's Highway known as No. 7 (Queen Street East).
11. That part of the King's Highway known as No. 7 in the Town of Markham lying between a point at its intersection with the roadway known as McCowan Road and a point at its intersection with the roadway known as the Markham By-Pass.
12. That part of the King's Highway known as No. 7 in the City of Peterborough lying between a point at its intersection with the King's Highway known as Nos. 28 and 115 and a point at its intersection with the eastern boundary of the City of Peterborough.
13. That part of the King's Highway known as No. 7 lying between a point at its intersection with the western limit of the King's Highway known as No. 417 in the Township of the West Carleton and a point at its intersection with the King's Highway known as No. 15 in the Township of Beckwith.
14. That part of the King's Highway known as No. 7 in the City of Kitchener lying between a point at its intersection with the roadway known as Victoria Street and a point at its intersection with the King's Highway known as No. 8.
15. That part of the King's Highway known as Nos. 7 and 8 lying between a point at its intersection with the eastern limit of the roadway known as Waterloo Road No. 5 in the Township of Wilmot and a point at its intersection with the King's Highway known as No. 8 in the City of Kitchener.
16. That part of the King's Highway known as No. 7187 in the City of Kitchener lying between a point at its intersection with the King's Highway known as No. 401 and a point at its intersection with the roadway known as Waterloo Road 8 (King Street).
17. That part of the King's Highway known as No. 8 in the City of Kitchener lying between a point at its intersection with the King's Highway known as No. 7 and a point at its intersection with the King's Highway known as Nos. 7 and 8.
18. That part of the King's Highway known as No. 8 in the City of Cambridge lying between a point at its intersection with the King's Highway known as No. 5 and a point at its intersection with the southern limits of the City of Cambridge.
19. That part of the King's Highway known as No. 9 lying between a point at its intersection with the roadway known as Concession Road 5 (N) in the Township of King and a point at its intersection with the King's Highway known as No. 10 in the Township of Mono.
20. That part of the King's Highway known as No. 11 in the City of Orillia lying between a point at its intersection with the roadway known as Memorial Avenue and a point at its intersection with the roadway known as Lacile Street.
21. That part of the King's Highway known as No. 11 lying between a point at its intersection with the roadway known as Muskoka Road 169 (Bethune Drive) in the Town of Gravenhurst and a point at its intersection with the northerly junction of the roadway known as Muskoka Road No. 3 in the Town of Huntsville.
22. That part of the King's Highway known as No. 11 in the City of North Bay lying between a point at its intersection with the roadway known as Lakeshore Drive and a point at its intersection with southerly junction of the King's Highway known as No. 17.
23. That part of the King's Highway known as Nos. 11 and 17 in the City of North Bay lying between a point at its intersection with the roadway known as Fisher Street and a point at its intersection with the roadway known as Algonquin Avenue.
24. That part of the King's Highway known as Nos. 11 and 17 in the City of Thunder Bay lying between a point at its intersection with the roadways known as Hodder Avenue and Copenhagen Road and a point at its intersection with the King's Highway known as No. 61.
25. That part of the King's Highway known as No. 17 in the City of North Bay lying between a point at its intersection with the roadway known as Algonquin Avenue and a point at its intersection with the roadway known as Gormanville Road.
26. That part of the King's Highway known as No. 17 in the Town of Walden lying between a point at its intersection with the middle junction of the roadway known as Regional Road 55 and a point at its intersection with the west junction of the roadway known as Regional Road 55.
27. That part of the King's Highway known as Nos. 28 and 115 lying between a point at its intersection with the King's Highway

known as Nos. 7A and 115 in the Township of Cavan–Millbrook–North Monagan and a point at its intersection with the King's Highway known as No. 7 in the City of Peterborough.

28. That part of the King's Highway known as Nos. 35 and 115 in the Municipality of Clarington lying between a point at its intersection with the King's Highway known as No. 401 and a point at its intersection with the King's Highway known as No. 35 and the King's Highway known as No. 115.
29. That part of the King's Highway known as No. 48 in the Town of Markham lying between a point at its intersection with the roadway known as 16th Avenue and a point situated at its intersection with the roadway known as Elgin Mills Road.
30. That part of the King's Highway known as No. 58 in the City of Thorold lying between a point at its intersection with the King's Highway known as No. 406 and a point at its intersection with the westerly limit of the roadway known as Niagara Regional Road No. 57 (Thorold Stone Road).
31. That part of the King's Highway known as No. 61 in the City of Thunder Bay lying between a point at its intersection with the King's Highway known as Nos. 11 and 17 and a point at its intersection with the roadway known as Chippewa Road.
32. That part of the King's Highway known as No. 86 lying between its intersection with the King's Highway known as No. 7 (Victoria Street) in the City of Kitchener and a point at its intersection with the roadway known as Waterloo Road No. 17 in the Township of Woolwich.
33. That part of the King's Highway known as No. 115 lying between a point at its intersection with the King's Highway known as Nos. 35 and 115 in the Municipality of Clarington and a point at its intersection with the King's Highway known as Nos. 7A and 115 in the Township of Cavan–Millbrook–North Monagan.
34. That part of the King's Highway known as No. 137 lying between a point at its intersection with the King's Highway known as No. 401 in the Township of Front of Leeds and Landsdowne and a point at its intersection with the Border between Canada and the United States of America.

DAVID TURNBULL
Minister of Transportation

Dated on August 8, 2000.

35/00

ONTARIO REGULATION 466/00
made under the
HIGHWAY TRAFFIC ACT

Made: August 8, 2000
Filed: August 11, 2000

Amending Reg. 619 of R.R.O. 1990
(Speed Limits)

Note: Since the end of 1999, Regulation 619 has been amended by Ontario Regulations 2/99, 203/99, 223/99, 224/99, 225/99, 255/99, 362/99, 363/99, 364/99, 405/99, 440/99, 466/99, 467/99, 468/99, 634/99, 223/00, 232/00, 239/00, 290/00, 291/00, 292/00, 320/00, 442/00, 443/00 and 445/00. Previous amendments are listed in the Table of Regulations in the Statutes of Ontario, 1998.

1. (1) Paragraph 6 of Part 2 of Schedule 13 to Regulation 619 of the Revised Regulations of Ontario, 1990 is revoked and the following substituted:

District of Cochrane — Twps. of Glackmeyer and Lamarche
Town of Smooth Rock Falls

6. That part of the King's Highway known as No. 11 in the Territorial District of Cochrane lying between a point situate 250 metres measured westerly from its intersection with the centre line of the roadway known as Western Avenue in the Townships of Glackmeyer and Lamarche and a point situate 100 metres measured easterly from its intersection with the centre line of the King's Highway known No. 634 in the Town of Smooth Rock Falls.

(2) Paragraph 3 of Part 4 of Schedule 13 to the Regulation is revoked and the following substituted:

District of Cochrane — Twps. of Glackmeyer and Lamarche

3. That part of the King's Highway known as No. 11 in the Territorial District of Cochrane lying between a point situate 700 metres measured northerly from its intersection with the centre line of the roadway known as Lamarche Township Road 5 and 6 in the Township of Lamarche and a point situate 250 metres measured westerly from its intersection with the centre line of the roadway known as Western Avenue in the Townships of Glackmeyer and Lamarche.

DAVID TURNBULL
Minister of Transportation

Dated on August 8, 2000.

35/00

INDEX 35**GOVERNMENT NOTICES/AVIS DU GOUVERNEMENT**

Motor Vehicle Transport Act/Truck Transportation Act/Loi sur les transports routiers/Loi sur le camionnage	1561
Ontario Highway Transport Board.....	1562
Certificates of Dissolution/Certificats de dissolution	1562
Notice of Default in Complying with the Corporations Information Act/Avis de non-observation de la loi sur les renseignements exigés des compagnies et des associations	1562
Cancellation for Filing Default (Corporations Act)/Annulation pour omission de se conformer à une obligation de dépôt (Loi sur les personnes morales)	1563
Erratum Notice/Avis d'Erreur	1563
Cancellation of Certificates of Incorporation (Corporations Tax Act Defaulters)/Annulation de certificats de constitution en personne morale (Non-respect de la loi sur l'imposition des personnes morales).....	1563
Co-operative Corporations Act (Certificate of Incorporation Issued)/Loi sur les sociétés coopératives (Certificat de constitution délivrés).....	1563
Co-operative Corporations Act (Certificate of Continuance Issued)/Loi sur les sociétés coopératives (Certificat de maintien délivré)	1564
Environmental Assessment Act/Loi sur les évaluations environnementales	1564
Applications to Provincial Parliament — Private Bills/Demandes au Parlement provincial — Projets de loi d'intérêt privé	1565
Applications to Provincial Parliament/Demandes au Parlement provincial	1565

MISCELLANEOUS NOTICES/AVIS DIVERS	1567
SALES OF LANDS FOR TAX ARREARS BY PUBLIC AUCTION/VENTES DE TERRAINS AUX ENCHÈRES PUBLIQUES POUR ARRIÈRE D'IMPÔT	1567
SALES OF LANDS FOR TAX ARREARS BY PUBLIC TENDER/VENTES DE TERRAINS PAR APPEL D'OFFRES POUR ARRIÈRE D'IMPÔT	1565

PUBLICATIONS UNDER THE REGULATIONS ACT/**PUBLICATIONS EN VERTU DE LA LOI SUR LES RÈGLEMENTS**

Education Act	O. Reg. 460/00 Loi sur l'éducation Règl. de l'Ont. 460/00.....	1578
Fish and Wildlife Conservation Act, 1997	O. Reg. 463/00	1580
Highway Traffic Act	O. Reg. 458/00	1569
Highway Traffic Act	O. Reg. 465/00	1580
Highway Traffic Act	O. Reg. 466/00	1582
Ontario Municipal Employees Retirement System Act	O. Reg. 464/00	1580
Ontario Water Resources Act	O. Reg. 459/00	1569
Provincial Parks Act	O. Reg. 462/00	1580
Public Lands Act	O. Reg. 461/00	1579



Information

THE ONTARIO GAZETTE is published each Saturday and **advertisements must be received no later than Thursday 4 p.m., 9 days before publication of the issue in which they should appear.**

Advertisements including the names of any signing officers must be typed or written legibly.

1. Advertising rates are for a first insertion per columnar space
 - i. up to 25mm is \$22.50
 - ii. from 25mm to 100mm per columnar space is \$5.60 for each 6mm
 - iii. from 100mm to 476mm per columnar space is \$5.50 for each 6mm
2. in each calendar year, after 476mm has been reached the rate is \$54.10 for each additional 119mm or part thereof.
3. for each multiple insertion ordered at the same time as the first insertion, one-half the rate payable under paragraph 1 or 2, as the case may be

Subscription rate is \$126.50 + 7% G.S.T. for 52 weekly issues and the single copy price of \$2.90 + 7% G.S.T. payable in advance. All rates are subject to increases without notice. **For the correct rate, please contact us at (416) 326-3893 during normal business hours.**

Subscriptions may be paid by VISA or MasterCard. Cheques or money orders should be made payable to THE MINISTER OF FINANCE and all correspondence, including address changes, should be mailed to:

THE ONTARIO GAZETTE
50 Grosvenor Street, Toronto, Ontario M7A 1N8
Telephone 326-5310
Toll-Free 1-800-668-9938

Information

LA GAZETTE DE L'ONTARIO paraît chaque samedi, **et les annonces à y insérer doivent parvenir à ses bureaux le jeudi à 16 h au plus tard, soit au moins neuf jours avant la parution du numéro dans lequel elles figureront.**

Les annonces, ainsi que le nom des signataires autorisés, doivent être dactylographiées ou écrites lisiblement.

1. Tarifs publicitaires pour la première insertion, par espace-colonne
 - i. allant jusqu'à 25 mm : 22,50 \$
 - ii. allant de 25 mm à 100 mm, par espace-colonne : 5,60 \$ pour chaque tranche de 6 mm
 - iii. allant de 100 mm à 476 mm, par espace-colonne : 5,50 \$ pour chaque tranche de 6 mm
2. Dans chaque année civile, lorsque l'on a atteint 476 mm, le tarif est de 54,10 \$ pour chaque tranche ou partie de tranche supplémentaire de 119 mm.
3. Pour chaque insertion multiple commandée en même temps que l'insertion initiale, le tarif se calcule à raison de 50 % du tarif payable indiqué au paragraphe 1 ou 2, selon le cas.

Le tarif d'abonnement est de 126,50 \$ + 7% T.P.S. pour 52 numéros hebdomadaires, et le tarif au numéro, de 2,90 \$ + 7% T.P.S. (payable à l'avance). Tous les tarifs peuvent être augmentés sans préavis. **Pour le tarif approprié, veuillez téléphoner (416) 326-3893 pendant les heures d'ouverture normales de bureau.**

Les paiements peuvent être effectués au moyen de la carte VISA ou MasterCard. Les chèques ou mandats doivent être faits à l'ordre du MINISTRE DES FINANCES et toute correspondance, notamment les changements d'adresse, doit être adressée à :

LA GAZETTE DE L'ONTARIO
50, rue Grosvenor, Toronto, (Ontario) M7A 1N8
Téléphone 326-5310
Appel sans frais 1 800 668-9938